



वैज्ञानिक तथा औद्योगिक अनुसंधान परिषद्
Council of Scientific & Industrial Research
राष्ट्रीय वांतरिक्ष प्रयोगशालाएं
National Aerospace Laboratories

INVITATION FOR TENDERS

Tender No. NAL/PUR/SID/339/22-Y

Dated: 31/01/2023


CSIR - National Aerospace Laboratories (NAL), Bengaluru, Republic of India, is one of the premier research laboratories under aegis of Council of Scientific and Industrial Research (CSIR), an autonomous body under the Department of Scientific and Industrial Research, Government of India, New Delhi. CSIR-NAL is a Science and Knowledge based Research, Development and Consulting Organisation. It is internationally known for its excellence in Scientific Research in Aerospace Engineering.

The Director, CSIR-NAL invites online quotation for procurement of the following item(s) for day to day research work.

Sl. No.	Description of Item(s)	Unit	Quantity
1	Strain gauge, Terminals and Adhesives. (Please refer annexure for detailed specification and list of items)	Set	01

Single / Double Bid Only	Two	Tender Type	Open
Bid Security (EMD) (in INR)	Bid Security Declaration should be enclosed with quotation	Bid submission end date	23-Feb-2023 10.00 Hrs
Performance Security	Nil	Bid opening date	24-Feb-2023 11.00 Hrs

01. Tender Documents may be downloaded from Central Public Procurement Portal <https://www.etenders.gov.in>. Aspiring Bidders' who have not registered in e- procurement can register free of cost before participating through the website <https://www.etenders.gov.in>. Bidders are advised to go through instructions provided at 'Instructions for Online Bid Submission'.
02. Tenderers can access tender documents on the website (for searching in the NIC site <https://www.etenders.gov.in>, kindly go to Tender Search option, select tender type and select 'Council of Scientific and Industrial Research', in organisation tab and select NAL-Bengaluru-CSIR in department type. Thereafter, Click on "Search" button to view all CSIR-NAL, Bengaluru tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <https://www.etenders.gov.in> as per the schedule given in the next page.
03. a. Global Tender Enquiry: Either the Indian Agent on behalf of the Foreign principal or the Foreign principal can bid directly in a tender but **not** both. However, the offer of the Indian Agent should also accompany the authorisation letter from their principal. To maintain sanctity of tendering system, one Indian Agent **cannot** represent two different Foreign principals in one tender



CSIR-National Aerospace Laboratories, Bengaluru-560 017, INDIA

- b. Open Tender enquiry: Only Local suppliers with prescribed local content as detailed in DIPPT Order No. P-45021/2/2017-PP (BE-II) dated 16th Sep, 2020 and subsequent orders issued by Ministry of Finance (GoI) from time to time, are eligible for bidding. Bidders must enclose the certificate declaring the local content of supplies as per our standard form.

Note: Kindly refer to the first page (NIT) for tender type (i.e. Open Tender Enquiry / Global Tender Enquiry) and submit your bid accordingly.

04. Unsolicited / conditional / unsigned Quotations/Quotations received after the due date and time shall be summarily rejected. The Bidder shall comply the terms and conditions of the tender, failing which, the offer shall be liable for rejection.
05. The bids' failing to comply with the following clauses will be summarily rejected.
- a. The Bidders' proposing to supply finished products directly/indirectly from vendors' of countries sharing the land border with India should submit a copy of registration done with DPIIT.
- b. If the products supplied are not from vendors of countries sharing land border with India, the Bidders' have to enclose a declaration to that effect.
06. As per Govt. of India procurement policies,
- a. The purchaser intends to give purchase preference to local supplies (Preference to Make in India) in case the cost of procurement is up to Rs. 50.00 lakhs.
- b. The procuring entity intends to give purchase preference to products/goods manufactured by micro, small and medium enterprises.
07. Bidders' are requested to refer to the instructions regarding Procurement Policies for "Make in India", issued by Ministry of Commerce and Industry, Department of Industrial Policy and Promotion dated. 28-May-2018, and 4-Jun-2020 and guidelines as and when issued.
08. Kindly, note CSIR-NAL GST No. **29AAATC2716R1ZB**. And the bidders' are requested to furnish their GST No. in their invoice failing which we will **not** be able to make timely payment.
09. Printed conditions, if any, submitted along with your quotation shall not be binding on us.
10. The prospective bidders' are requested to refer to the Standard Terms and Conditions available on NAL Internet (www.nal.res.in) under the icon Tender-Purchase before formulating and submitting their bids'.
11. The Director, CSIR- National Aerospace Laboratories, Bengaluru reserves the right to accept any or all the tenders either in part or in full or to split the order without assigning any reasons there for.

Thanking you,

Yours faithfully

Stores & Purchase Officer
For and on behalf of CSIR-NAL

Strain Gauges Specification

Sl. No.	Description	Qty. packs
	Strain Gauges:	
1.	5mm gauge length, 120 Ω uniaxial for aluminium with 25mm pre-attached lead wire	50
2.	2 mm gauge length, 120 Ω uniaxial for aluminium with 25mm pre-attached lead wire	20
3.	2mm gauge length, 350 Ω 0°/90° Biaxial, stacked rosette strain gauge for Aluminum with polyimide round base A. with 25 mm pre-attached lead wire B. with 300 mm long insulated wire	30 05
4.	5mm gauge length, 350 Ω 0°/90° Biaxial, stacked rosette strain gauge for Aluminum with polyimide round base A. with 25 mm pre-attached lead wire B. with 300 mm long insulated wire	30 05
5.	5 mm gauge length, 350 Ω 0°/45°/90° Triaxial stacked rosette strain gauge for steels with polyimide round base	05
6.	5mm gauge length, 350 Ω 0°/45°/90° Triaxial stacked rosette strain gauge for aluminium with polyimide round base and 25mm pre-attached lead wire	50
7.	2mm gauge length, 350 Ω 0°/45°/90° Triaxial stacked rosette strain gauge for aluminium with polyimide round base A. with 25 mm pre-attached lead wire B. with 300 mm long insulated wire	30 10
8.	1mm gauge length, 120 Ω 0°/45°/90° Triaxial stacked rosette strain gauge for aluminium with polyimide round base and 25mm pre-attached lead wire	05
9.	5mm gauge length, 350 Ω 0°/45°/90° Triaxial stacked rosette strain gauge for composite materials with polyimide round base and 25mm pre-attached lead wire	40
10.	2mm, gauge length, 350 Ω 0°/45°/90° Triaxial stacked rosette strain gauge for composite materials with polyimide round base and 25mm pre-attached lead wire	25

(Signature)
01/02/2023

11.	5mm gauge length, 350 Ω Uniaxial strain gauge for composite materials with 25mm pre-attached lead wire	60
12.	2mm gage length, 350 Ω Uniaxial strain gage for composite materials with 25mm pre-attached lead wire	20
	Gauge terminals	
13.	Copper foil, size: 13X55X0.1mm, glass epoxy base, gauge terminals matching T-F2 specs.	400 sheets (40 packs)
14.	Compact copper foil, size: 6X25X0.1mm, glass epoxy base, gauge terminals matching T-F7 specs.	100 sheets (10 packs)
	Adhesives	
15.	Cyanoacrylate base instant glue (CC-35, equivalent) (2gX 5 tubes/Pkt), Operating temperature: -196 to 150° C	50

Note: Each pack contains 10 numbers of gauges.

Selection: The Structural testing activity needs multiple types of strain gauges (linear, triaxial etc) used in a single component level /full scale tests. Hence for compatibility and reliability purpose, all the strain gauges are to be from the single source along with the bonding agents. Hence gauges will be selected from the same manufacturer and as a single lot (SI no. 1 to 15) and not on the individual lowest quotes basis

*(Signature)
01/02/2023*